

Prøvetakingsdato	<i>E. coli</i>	<i>C. perfringens</i>	pH	Konduktivitet	Turbiditet	Fargetall	Klorid (Cl)	Tot.-P mg/l	Tot.-P µg/l	Orto-P	Tot.-N mg/l	Tot.-N µg/l	Nitrat µg/l	NitrittNH ₄ ⁺ µg/l	TOC mg/l	BOF	Intestinale enterokokker	Ca, filterert	Koliforme
0. Utløp Nisser																			
08/31/2022	3	<1	6.3	1.09	0.26	11	0.94	0.0037	5.5		0.3	300		<0,5	2.7	<3	8	0.86	
09/07/2022	5	<1	4.5	3.06	0.16	10	3.8		11	11		310		34	2.5	<3	<1	0.97	
09/14/2022	6	<1	6.3	1,20	1,1	12	1,1		<3,0	<3,0		250		41	2.7	<3	1	0.94	
09/21/2022	2	<1	6.2	1.1	0.33	11	0.89		11	13		240		26	2.8	<3	2	0.93	
09/27/2022	4	<1	NA	NA	NA	11	1.1		<3,0	<3		160		40	2.7	<3	3	0.98	
10/04/2022	4	<1	6.2	1.33	0.31	12	1		7.9	7.7		240		32	2.7	<3	1	0.93	
10/12/2022	11	<1	6.1	1.1	0.23	13	1.1		5.6	10		250		35	2.5	<3	5	0.86	
10/19/2022	2	<1	6.3	1.15	0.3	14	0.77		15	14		230		23	2.9	<3	2	0.9	
10/26/2022	1	<1	6.1	<0,1	0.5	17	1.1		13	8.1		400		26	2.9	<3	1	0.83	
11/01/2022	3	<1	6	6.03	0.34	13	1.1		42	14		320		22	2.7	<3	1	0.05	
11/16/2022	1	<1	6	1.29	0.35	14	1		11	12		400		10	2.7	<3	1	0.9	
Gjennomsnitt prøvepunkt 0																			
	3.8	<1	6.0	2.0	0.3	12.6	1.3	0.0	13.6	11.2	0.3	282		28.9	2.7	<3	2.5	0.8	
1. Nidelva 1 - oppstrøms RA																			
08/25/2021	1	1	6.2	1.04	0.37	16	0.84	0.003	3	2.7	0.17	170		11	3.3	<3	1	0.74	>200
09/08/2021	1	<1	6.2	1.05	0.38	14	0.85	0.0096	9.6	<2,0	0.23	230		7.1	3	<3	2	0.75	>200
10/05/2021	43	3											76	<2,0	6.5	4.9			
10/21/2021	2	1	5.9	1.07	0.28	20	0.99	0.0066	6.6	<2,0	0.26	260		13	3.3	<3	1	0.71	>200
08/31/2022	1	<1	6.4	1.19	0.45	13	1.1	0.0011	1.1	19	0.27	270		49	3	<3	6	0.89	
09/07/2022	3	<1	6.3	1.33	0.42	13	0.95		10	<3		200		<5	2.7	<3	<1	0.05	
09/14/2022	11	<1	6.0	1,11	0,38	15	1,2		5.2	<3		240		26	3.3	<3	2	0.96	
09/20/2022	4	1	6.1	1.16	0.26	14	1		9.9	11		550		22	3.4	<3	<1	0.93	
09/27/2022	5	1	NA	NA	NA	15	1.2		3	<3		330		22	3.3	<3	4	0.9	
10/04/2022	11	2	5.8	1.27	0.43	23	1		8.5	7.4		220		15	4.6	<3	5	1	
10/12/2022	10	1	5.8	1.11	0.49	24	1.3		5.9	11		230		13	4.4	<3	<1	0.85	
10/19/2022	5	1	5.8	1.22	0.52	30	0.93		10	12		240		15	4.9	<3	<1	0.79	
10/26/2022	11	<1	5.7	1.21	0.57	39	1.4		13	11		290		20	5.4	<3	<1	0.92	
11/01/2022	1	<1	5.7	5.69	0.49	30	1.2		23	15		360		17	4.9	<3	<1	0.92	
11/16/2022	4	<1	5.7	1.13	0.39	28	1.2		11	12		410		15	4.4	<3	6	0.8	
Gjennomsnitt prøvepunkt 1																			
	7.5	<1	6.0	1.5	0.4	21.5	1.1	0.0	8.6	11.2	0.2	286	76.0	18.0	3.9	<3	4.4	0.8	
2. Nidelva 2 - nedstrøms RA																			
08/25/2021	<1	1	6.5	1.65	0.44	12	1.5	<0,003	3	2.7	0.15	150		6.3	2.8	<3	<1	1.1	>200
09/08/2021	6	<1	6.2	1.03	0.4	14	0.95	0.0066	6.6	<2,0	0.2	200		8.5	2.9	<3	3	0.79	>200
10/05/2021	46	5											43	<2,0	<5	6.3			
08/31/2022	8	<1	6.4	1.2	0.39	12	1.1	0.027	27	5.1		370		12	2.9	<3	11	0.9	
09/07/2022	4	<1	6.3	1.23	0.3	13	1.1		8.7	6.3		210		13	2.8	<3	2	1	
09/14/2022	93	1	6.6	2,78	0,25	12	2,3		3.4	<3,0		360		15	2.7	<3	220	2.7	
09/20/2022	5	1	6.2	1.18	0.26	14	1		9.2	5.4		240		25	3.3	<3	10	1	
09/27/2022	170	1	NA	NA	NA	57	2.2		9.8	8.7		520		14	10	<3	74	0.95	
10/04/2022	11	<1	5.8	1.33	0.44	26	1.2		8.6	6.2	0.44	230		16	4.7	<3	17	1.1	
10/12/2022	2	<1	6	1.25	1.9	25	1.4		7	15		270		35	4.4	<3	1	0.94	
10/19/2022	11	1	5.5	1.43	0.48	35	1.3		4.5	6.1		230		15	5.4	<3	3	0.83	
10/26/2022	7	1	5.1	<0,1	0.67	59	2.1		13	13		260		16	7.3	<3	25	0.76	
11/01/2022	62	10	6.7	2.9	0.3	17	2.8		40	15		440		7.9	2.6	<3	53	2.8	
11/16/2022	2	2	5.7	1.18	0.48	27	1.3		11	13		240		16	4.3	<3	7	0.85	
Gjennomsnitt prøvepunkt 2																			
	32.8	2.6	6.0	1.4	0.6	25.9	1.5	0.0	12.4	8.8	0.2	286	43.0	15.4	4.5	<3	35.2	1.2	
4. Nidelva 3 - nedstrøms RA																			
08/25/2021	<1	<1	6.2	1.08	0.39	17	0.9	<0,003	3	2	0.22	220		6.2	3.4	<3	<1	0.84	<1
09/08/2021	4	<1	6.2	1.2	0.33	14	0.86	0.0062	6.2	<2,0	0.24	240		<5	3	<3	3	0.76	>200
09/22/2021	1	<1	6.4	1.15	0.32	13	0.99	0.0089	8.9	3.8	0.21	210		12	2.8	<3	<1	0.84	>200
10/05/2021	36	<1											45	<2,0	<5	6.1			
08/31/2022	8	<1	6.4	1.17	0.44	13	1		<3	<3		270		<5	2.9	<3	8	0.9	
09/07/2022	15	<1	6.3	1.15	0.3	12	4.3		11	5.5		200		<5	2.9	<3	<1	1	
09/14/2022	31	<1	6.0	1,16	0,82	19	1,1		<3,0	<3,0		230		13	4.1	<3	10	0.96	
09/20/2022	8	<1	6.2	1.15	0.26	14	1.1		9.5	11		240		15	3.3	<3	2	0.97	
09/27/2022	59	<1	NA	NA	NA	46	2.1		6.6	3.1		370		19	8.7	<3	24	0.74	
10/04/2022	11	<1	5.4	1.25	0.39	29	1.3		8.6	8.3		230		18	5.4	<3	8	0.77	
10/12/2022	3	2	6	1.19	0.78	27	1.3		7.3	28		230		16	4.4	<3	1	0.94	
10/19/2022	5	1	5.1	1.38	0.41	41	1.3		5	8.5		220		12	6.3	<3	3	0.57	
10/26/2022	6	2	4.8	1.5	0.65	61	1.7		12	12		350		7.7	8.5	<3	11	0.4	
11/01/2022	1	<1	5.7	<0,1	0.64	31	1.3		28	15		380		13	4.8	<3	2	0.84	
11/16/2022	1	<1	5.5	1.25	0.39	30	1.3		11	12		430		17	5.1	<3	2	0.77	
Gjennomsnitt prøvepunkt 3																			
	13.5	1.7	5.9	1.2	0.4	26.8	1.5	0.0	9.8	9.9	0.2	273	45.0	13.5	4.8	<3	6.8	0.8	
3. Ravine - nedstrøms RA																			
08/25/2021	1	1	5.4	8.03	0.18	<2	18	<0,003	3	2.2	0.46	460		<5	0.97	<3	<1	1.9	>200
09/08/2021	<1	3	5.4	15.2	0.14	<2	40	0.0073	7.3	2.1	0.51	510		<5	0.38	<3	<1	2.7	12
10/05/2021	<1	<1											2.45	<2,0	<5	0.56		6	
08/31/2022	<1	<1	5.7	4.67	0.1	<2	9.5		10	12		360		<5	0.39	<3	<1	2.2	
09/07/2022	<1	<1	5	5.24	<0,1	<2	11		4.1	5.1		660		<5	<0,3	<3	<1	2.3	
09/14/2022	<1	1	5.6	3,84	2,2	<2	7,6		8,2	<3		530		<5	1.3	<3	3	2.1	
09/20/2022	<1	2	5.8	3.81	0.81	<2	6.6		13	9.9		280		<5	1.9	<3	7	11.9	
09/27/2022	1	<1	NA	NA	NA	<2	7		4.1	<3		330		<5	2.8	<3	<1	2	
10/04/2022	<1	>100	5.9	4.08	1.8	<2	6.4		14	7		320		<5	4.8	<3	<1	2	
10/12/2022	<1	<1	5.5	4.67	0.16	<2	9.2		4.9	7.9		430		<5	0.34	<3	<1	2.4	
10/19/2022	<1	<1	5.8	4.53	5	<2	8.8		11	9.4		550		<5	1.4	<3	<1	2.3	
10/26/2022	1	<1	5.7	5.17	0.38	3	11		13	10		410		<5	0.52	<3	<1	2.3	
11/01/2022	<1	<1	5.9	4.88	0.15	<2	10		20	10		510		<5	0.35	<3	2	2.4	
11/16/2022	<1	2	5.4	6.87	<0,1	<2	15		9.8	11		910		<5	0.41	<3	<1	2.9	
Gjennomsnitt prøvepunkt ravine (grunnvannsutslag)																			
	1.0	2.0	5.6	6.1	1.0	<2	12.7	0.0	9.4	7.9	0.5	482	2.5	<5	1.2	<3	4.5	3.0	



